

CSP

CHARGER SUPER PRO

MT1200

MULTI-FUNCTION SMART BATTERY CHARGER

Smart charging • Battery maintenance • Diagnostic support

6V / 12V

1A / 4A / 8A

IP65

Pulse Charging

Made in Taiwan | CSP Battery

CSP Battery | MT1200



MT1200 — Smart charging for everyday battery care

SMART MULTI-STAGE CHARGING

Microprocessor-controlled charging automatically manages

PULSE / RECONDITION MODE

Pulse charging and maintenance functions are designed to

MULTIPLE BATTERY TYPES

Designed for common 12V battery applications including MF, GEL, AGM and

CLEAR LCD DISPLAY

Easy-to-read display provides charging status and battery i

SAFETY PROTECTION

Protection functions include reverse polarity, short circuit,

IP65 PROTECTION

IP65-rated housing helps protect the charger from dust and water exposure i

Specifications

Model	MT1200
Input Voltage	100–240V AC, 50/60Hz
Maximum Input Power	120W
Charging Voltage	7.2V / 14.4V / 14.7V / 15.5V DCV
Charging Current	1A / 4A / 8A
Charger Type	Multi-stage, fully automatic, pulse charging

Battery Type	6V / 12V lead-acid; MF, GEL, AGM, EFB; lithium-iron listed
Recommended Battery Capacity	7Ah–150Ah
Maintenance Capability	Up to 160Ah
Protection Rating	IP65
Approx. Dimensions	220 × 90 × 50 mm
Approx. Weight	0.64 kg

Note: Product specifications should be confirmed against the latest CSP technical sheet before final commercial printing.

One charger for multiple 6V / 12V battery-care needs

AUTOMOTIVE

Cars • SUVs • Light commercial vehicles

MOTORCYCLE

Motorcycles • Scooters • Powersports

WORKSHOP

Battery testing • Maintenance • Service bays

DEEP-CYCLE

Suitable battery-maintenance applications within rated capacity

CSP Battery • CHIN-HONG BATTERY CHARGER CO., LTD. • Taipei, Taiwan